



shop-systems.com

Horizontal systems	aluline (miniline, aluboard3, aluboard6, aluboard8)	p. 6 – 35	⚡
	Vertical systems	primo	p. 36 – 45
	seam (seam35, seam80, seam corner / double)	p. 46 – 69	⚡
	quattro (bright)	p. 70 – 77	⚡
	stepless	p. 78 – 81	⚡
Single point systems	ipuc (ipuc10, ipuc25)	p. 82 – 99	
	opuc (opuc6, opuc20)	p. 100 – 117	⚡
	xpuc	p. 118 – 127	
Complementary accessories	extent	p. 128 – 133	

Legend to symbols:

⚡ electrified

Dimensions: (stated in mm)

L length Ø diameter
W width C centre
H height → landscape
D depth ↑ portrait
t thickness

Load values: (stated in kg)

 –  corresponds to 1 – 60 kg

The following guidelines apply to the load values stated above:

- The load value listed refers to the merchandise elements only.
- Increasing lengths or depths of the fitting elements may lead to a reduced load value.
- The load values listed depend on the construction of the wall. Our calculation is based on installation into timber.
- Fittings may deflect to differing angles for a particular load value.

All rails and fitting elements are covered by patent or copyright.

We reserve the right to amend technical or formal details without prior notice.

our sales partners

UNITED STATES OF AMERICA

DINA MEINDL
DINA@DRMUNLIMITED.NET
PHONE +1 (0)646 785 9590

BENELUX

JOHN DE VOOHT
JOHN@SHOP-SYSTEMS.NL
PHONE +49 (0)644 125 104

UNITED ARAB EMIRATES

AHMAD AL HADDAR
AHMAD@SWISHME.COM
PHONE +971 (0)21 510 1990

GREECE

JENNIE PRITSINA
JENNIE@IM-EXPORTA.COM
PHONE +30 (0)231 054 0687

UNITED KINGDOM

JASON DIAS
JASON@SHOP-SYSTEMS.CO.UK
PHONE +44 (0)20 3697 1260

ITALY

GIORGIO OMETTO
OMETTO.G@GMAIL.COM
PHONE +39 (0)392 920 65 26

SCANDINAVIA

LARS KLINGSTRÖM
LARS@KLINGSTROMS.SE
PHONE +46 (0)703 103 629

SPAIN

CARLES FRANCISCO SANS
CARLES.SANS@MARCELOVILA.COM
PHONE +34 (0)638 517 527

SOUTH AFRICA

ROBYN SELF
ROBYN@SHOPFITTINGDEPOT.CO.ZA
PHONE +27 (0)21 510 1976

GLOBAL

SHOP SYSTEMS GMBH
INFO@SHOP-SYSTEMS.COM
PHONE +49 (0)7544 9530 701



● UNITED STATES OF AMERICA

UNITED KINGDOM

● SCANDINAVIA

● BENELUX

● GERMANY

● ITALY

● GREECE

● SPAIN

● UNITED ARAB EMIRATES

● SOUTH AFRICA

stepless



Application:

Vertical conductor rail profile for installation in panel materials of 16 mm and 19 mm material thickness.


Materials and finishes:

steel, powder-coated

Setting-out details:

The busbars are available in the wall-mounted version.


During electrification, the total wattage per driver must be taken into account. Additional LED lengths are available.



stepless electrified profile L 3500 ST 024 100 07 ⚡
vertical profile, to electrify cabinets, furniture and cut to size ST 024 101 07
mid-floor gondolas, electrified, without power aluminium, black anodised supply




+ power feed ST 024 800 07 ⚡
24 V, for stepless electrified profile,
to be screw fixed, cable length 500 mm



+ LED driver 18 watt BR 024 810 07 ⚡
230 V, primary line 1000 mm, 36 watt BR 024 812 07
secondary line 250 mm 50 watt BR 024 814 07
75 watt BR 024 816 07
100 watt BR 024 818 07

Halogen-free available on request



+ connecting line 6-way distributor BR 024 831 07 ⚡
230 V, high voltage, 3000 mm, Euro flat plug
single round plug BR 024 833 07

+ UK plug for connecting line BR 024 840 07

Halogen-free available on request



+ extension cable
high voltage 230 V, L 500 mm BR 024 841 07 ⚡
with plug-system white colour L 1000 mm BR 024 843 07
L 2000 mm BR 024 847 07
low voltage 24 V, L 500 mm BR 024 861 07
with plug-system green colour L 1000 mm BR 024 863 07
L 2000 mm BR 024 867 07

Halogen-free available on request



+ distributor
high voltage 230 V, 2-way distributor BR 024 893 07 ⚡
with plug-system white colour
low voltage 24 V, 2-way distributor BR 024 883 07
with plug-system green colour 6-way distributor BR 024 881 07

Halogen-free available on request



LED recessed lighting unit 3000 K BR 024 704 05 ⚡
for timber shelves with a thickness of 19 mm, 4000 K BR 024 705 05
profile LD8003K, 9,6 watt per metre, 90 Lm/W, aluminium, natural anodised
24 V, length of 570 mm
3000 K BR 024 704 16
4000 K BR 024 705 16
aluminium, black anodised



+ power pickup ST 024 810 07 ⚡
for stepless electrified profiles, screw fixed,
with plug-system length 150 mm steel, zinc plated

Legal notice

Shop Systems GmbH

Zeppelinstraße 8 – 10
88677 Markdorf
Germany

T +49 (0) 7544 95 30 700

F +49 (0) 7544 95 30 719

info@shop-systems.com

www.shop-systems.com

Setting out:

Shop Systems GmbH

Photo credits:

p. 7 + 30 *Roy Robsen Store, St. Gallen*

installation Bontempo oHG, Hamburg

p. 37 *Intersport Heinzel Biberach*

installation Konrad Knoblauch GmbH, Markdorf

p. 50 *Bergzeit, Gmund am Tegernsee*

installation Schreinerei Zdocv | design Elbkind Design, Rosenheim

p. 64 Apotheke zur Rose, Bern

installation Killer Ladenbau AG, Turgi

p. 101 + 110 *Camp David Prime, Frankfurt*

installation non malus GmbH, Nünchritz | design loom reatil.design GmbH, Hamburg

S. 122 *Jako-O Store, Braunschweig*

installation Habermäß GmbH, Bad Rodach

Cooperation partner for the LED bright solution:

Elektra GmbH, www.elektra.de

© 2020

Shop Systems GmbH

All rights reserved

We do not take any responsibility for any errors or omissions.

We reserve the right to amend technical or formal details without prior notice.

The reprint and copies of the catalogue or parts of it are subject to the written approval by Shop Systems GmbH.

Our general terms and conditions are available for download in pdf format at www.shop-systems.com.

